

## HT-Safe Price List 2022-23

| Sr. No.                              | IMAGE                                                                               | ITEM CODE | ITEM NAME HT |         | MRP  |
|--------------------------------------|-------------------------------------------------------------------------------------|-----------|--------------|---------|------|
| HTEM - Single socket pipe (push-fit) |                                                                                     |           |              |         |      |
| 1                                    |    | 110000    | HTEM DN 32   | 150 mm  | 141  |
| 2                                    |                                                                                     | 110010    | HTEM DN 32   | 250 mm  | 166  |
| 3                                    |                                                                                     | 110020    | HTEM DN 32   | 500 mm  | 240  |
| 4                                    |                                                                                     | 110040    | HTEM DN 32   | 1000 mm | 374  |
| 5                                    |                                                                                     | 110050    | HTEM DN 32   | 1500 mm | 483  |
| 6                                    |                                                                                     | 110060    | HTEM DN 32   | 2000 mm | 736  |
| 7                                    |                                                                                     | 110070    | HTEM DN 32   | 3000 mm | 1110 |
| HTEM - Single socket pipe (push-fit) |                                                                                     |           |              |         |      |
| 8                                    |    | 111000    | HTEM DN 40   | 150 mm  | 141  |
| 9                                    |                                                                                     | 111010    | HTEM DN 40   | 250 mm  | 175  |
| 10                                   |                                                                                     | 111020    | HTEM DN 40   | 500 mm  | 199  |
| 11                                   |                                                                                     | 111030    | HTEM DN 40   | 750 mm  | 265  |
| 12                                   |                                                                                     | 111040    | HTEM DN 40   | 1000 mm | 283  |
| 13                                   |                                                                                     | 111050    | HTEM DN 40   | 1500 mm | 378  |
| 14                                   |                                                                                     | 111060    | HTEM DN 40   | 2000 mm | 547  |
| 15                                   |                                                                                     | 111070    | HTEM DN 40   | 3000 mm | 819  |
| HTEM - Single socket pipe (push-fit) |                                                                                     |           |              |         |      |
| 16                                   |  | 112000    | HTEM DN 50   | 150 mm  | 155  |
| 17                                   |                                                                                     | 112010    | HTEM DN 50   | 250 mm  | 185  |
| 18                                   |                                                                                     | 112020    | HTEM DN 50   | 500 mm  | 251  |
| 19                                   |                                                                                     | 112030    | HTEM DN 50   | 750 mm  | 330  |
| 20                                   |                                                                                     | 112040    | HTEM DN 50   | 1000 mm | 383  |
| 21                                   |                                                                                     | 112050    | HTEM DN 50   | 1500 mm | 615  |
| 22                                   |                                                                                     | 112060    | HTEM DN 50   | 2000 mm | 704  |
| 23                                   |                                                                                     | 112070    | HTEM DN 50   | 3000 mm | 1058 |
| HTEM - Single socket pipe (push-fit) |                                                                                     |           |              |         |      |
| 24                                   |  | 113000    | HTEM DN 75   | 150 mm  | 283  |
| 25                                   |                                                                                     | 113010    | HTEM DN 75   | 250 mm  | 317  |
| 26                                   |                                                                                     | 113020    | HTEM DN 75   | 500 mm  | 450  |
| 27                                   |                                                                                     | 113030    | HTEM DN 75   | 750 mm  | 529  |
| 28                                   |                                                                                     | 113040    | HTEM DN 75   | 1000 mm | 582  |
| 29                                   |                                                                                     | 113050    | HTEM DN 75   | 1500 mm | 877  |
| 30                                   |                                                                                     | 113060    | HTEM DN 75   | 2000 mm | 1015 |
| 31                                   |                                                                                     | 113070    | HTEM DN 75   | 3000 mm | 1530 |
| HTEM - Single socket pipe (push-fit) |                                                                                     |           |              |         |      |
| 32                                   |  | 114000    | HTEM DN 90   | 150 mm  | 374  |
| 33                                   |                                                                                     | 114010    | HTEM DN 90   | 250 mm  | 389  |
| 34                                   |                                                                                     | 114020    | HTEM DN 90   | 500 mm  | 561  |
| 35                                   |                                                                                     | 114030    | HTEM DN 90   | 750 mm  | 728  |
| 36                                   |                                                                                     | 114040    | HTEM DN 90   | 1000 mm | 819  |
| 37                                   |                                                                                     | 114050    | HTEM DN 90   | 1500 mm | 1208 |
| 38                                   |                                                                                     | 114060    | HTEM DN 90   | 2000 mm | 1586 |

|                                      |                                                                                                 |        |             |         |       |
|--------------------------------------|-------------------------------------------------------------------------------------------------|--------|-------------|---------|-------|
| 39                                   |                                                                                                 | 114070 | HTEM DN 90  | 3000 mm | 2381  |
| HTEM - Single socket pipe (push-fit) |                                                                                                 |        |             |         |       |
| 40                                   |                | 115000 | HTEM DN 110 | 150 mm  | 420   |
| 41                                   |                                                                                                 | 115010 | HTEM DN 110 | 250 mm  | 483   |
| 42                                   |                                                                                                 | 115020 | HTEM DN 110 | 500 mm  | 794   |
| 43                                   |                                                                                                 | 115030 | HTEM DN 110 | 750 mm  | 944   |
| 44                                   |                                                                                                 | 115040 | HTEM DN 110 | 1000 mm | 1125  |
| 45                                   |                                                                                                 | 115050 | HTEM DN 110 | 1500 mm | 1705  |
| 46                                   |                                                                                                 | 115060 | HTEM DN 110 | 2000 mm | 1973  |
| 47                                   |                                                                                                 | 115070 | HTEM DN 110 | 3000 mm | 2965  |
| HTEM - Single socket pipe (push-fit) |                                                                                                 |        |             |         |       |
| 48                                   |                | 116000 | HTEM DN 125 | 150 mm  | 615   |
| 49                                   |                                                                                                 | 116010 | HTEM DN 125 | 250 mm  | 760   |
| 50                                   |                                                                                                 | 116020 | HTEM DN 125 | 500 mm  | 1044  |
| 51                                   |                                                                                                 | 116030 | HTEM DN 125 | 750 mm  | 1308  |
| 52                                   |                                                                                                 | 116040 | HTEM DN 125 | 1000 mm | 1686  |
| 53                                   |                                                                                                 | 116050 | HTEM DN 125 | 1500 mm | 1985  |
| 54                                   |                                                                                                 | 116060 | HTEM DN 125 | 2000 mm | 2589  |
| 55                                   |                                                                                                 | 116070 | HTEM DN 125 | 3000 mm | 3886  |
| HTEM - Single socket pipe (push-fit) |                                                                                                 |        |             |         |       |
| 56                                   |               | 117000 | HTEM DN 160 | 150 mm  | 1095  |
| 57                                   |                                                                                                 | 117010 | HTEM DN 160 | 250 mm  | 1286  |
| 58                                   |                                                                                                 | 117020 | HTEM DN 160 | 500 mm  | 1949  |
| 59                                   |                                                                                                 | 117030 | HTEM DN 160 | 750 mm  | 2348  |
| 60                                   |                                                                                                 | 117040 | HTEM DN 160 | 1000 mm | 2785  |
| 61                                   |                                                                                                 | 117050 | HTEM DN 160 | 1500 mm | 3460  |
| 62                                   |                                                                                                 | 117060 | HTEM DN 160 | 2000 mm | 4539  |
| 63                                   |                                                                                                 | 117070 | HTEM DN 160 | 3000 mm | 6814  |
| HTGL - Plain ended pipe              |                                                                                                 |        |             |         |       |
| 64                                   |              | 110080 | HTGL DN 32  | 5000 mm | 1753  |
| 65                                   |                                                                                                 | 111080 | HTGL DN 40  | 5000 mm | 1323  |
| 66                                   |                                                                                                 | 112080 | HTGL DN 50  | 5000 mm | 1639  |
| 67                                   |                                                                                                 | 113080 | HTGL DN 75  | 5000 mm | 2399  |
| 68                                   |                                                                                                 | 114080 | HTGL DN 90  | 5000 mm | 3524  |
| 69                                   |                                                                                                 | 115080 | HTGL DN 110 | 5000 mm | 4628  |
| 70                                   |                                                                                                 | 116080 | HTGL DN 125 | 5000 mm | 7018  |
| 71                                   |                                                                                                 | 117080 | HTGL DN 160 | 5000 mm | 10123 |
| HTB - Bend 15°                       |                                                                                                 |        |             |         |       |
| 72                                   | <br>Bend 15° | 110100 | HTB DN 32   | 15 Grad | 141   |
| 73                                   |                                                                                                 | 111100 | HTB DN 40   | 15 Grad | 150   |
| 74                                   |                                                                                                 | 112100 | HTB DN 50   | 15 Grad | 166   |
| 75                                   |                                                                                                 | 113100 | HTB DN 75   | 15 Grad | 199   |
| 76                                   |                                                                                                 | 114100 | HTB DN 90   | 15 Grad | 251   |
| 77                                   |                                                                                                 | 115100 | HTB DN 110  | 15 Grad | 298   |
| 78                                   |                                                                                                 | 116100 | HTB DN 125  | 15 Grad | 959   |
| 79                                   |                                                                                                 | 117100 | HTB DN 160  | 15 Grad | 1479  |
| HTB - Bend 30°                       |                                                                                                 |        |             |         |       |
| 80                                   |              | 110110 | HTB DN 32   | 30 Grad | 141   |
| 81                                   |                                                                                                 | 111110 | HTB DN 40   | 30 Grad | 150   |
| 82                                   |                                                                                                 | 112110 | HTB DN 50   | 30 Grad | 166   |

|                   |                                                                                     |        |                 |         |      |
|-------------------|-------------------------------------------------------------------------------------|--------|-----------------|---------|------|
| 83                |     | 113110 | HTB DN 75       | 30 Grad | 199  |
| 84                |                                                                                     | 114110 | HTB DN 90       | 30 Grad | 251  |
| 85                |                                                                                     | 115110 | HTB DN 110      | 30 Grad | 298  |
| 86                |                                                                                     | 116110 | HTB DN 125      | 30 Grad | 959  |
| 87                |                                                                                     | 117110 | HTB DN 160      | 30 Grad | 1479 |
| HTB - Bend 45°    |                                                                                     |        |                 |         |      |
| 88                |    | 110120 | HTB DN 32       | 45 Grad | 141  |
| 89                |                                                                                     | 111120 | HTB DN 40       | 45 Grad | 150  |
| 90                |                                                                                     | 112120 | HTB DN 50       | 45 Grad | 166  |
| 91                |                                                                                     | 113120 | HTB DN 75       | 45 Grad | 199  |
| 92                |                                                                                     | 114120 | HTB DN 90       | 45 Grad | 251  |
| 93                |                                                                                     | 115120 | HTB DN 110      | 45 Grad | 298  |
| 94                |                                                                                     | 116120 | HTB DN 125      | 45 Grad | 959  |
| 95                |                                                                                     | 117120 | HTB DN 160      | 45 Grad | 1512 |
| HTB - Bend 67°    |                                                                                     |        |                 |         |      |
| 96                |    | 110130 | HTB DN 32       | 67 Grad | 141  |
| 97                |                                                                                     | 111130 | HTB DN 40       | 67 Grad | 150  |
| 98                |                                                                                     | 112130 | HTB DN 50       | 67 Grad | 166  |
| 99                |                                                                                     | 113130 | HTB DN 75       | 67 Grad | 199  |
| 100               |                                                                                     | 114130 | HTB DN 90       | 67 Grad | 283  |
| 101               |                                                                                     | 115130 | HTB DN 110      | 67 Grad | 306  |
| HTB - Bend 87.5°  |                                                                                     |        |                 |         |      |
| 102               |   | 110140 | HTB DN 32       | 87 Grad | 141  |
| 103               |                                                                                     | 111140 | HTB DN 40       | 87 Grad | 150  |
| 104               |                                                                                     | 112140 | HTB DN 50       | 87 Grad | 166  |
| 105               |                                                                                     | 113140 | HTB DN 75       | 87 Grad | 199  |
| 106               |                                                                                     | 114140 | HTB DN 90       | 87 Grad | 283  |
| 107               |                                                                                     | 115140 | HTB DN 110      | 87 Grad | 317  |
| 108               |                                                                                     | 116140 | HTB DN 125      | 87 Grad | 1133 |
| 109               |                                                                                     | 117140 | HTB DN 160      | 87 Grad | 1530 |
| HTEA - Branch 45° |                                                                                     |        |                 |         |      |
| 110               |  | 110220 | HTEA DN 32/ 32  | 45 Grad | 275  |
| 111               |                                                                                     | 111200 | HTEA DN 40/ 40  | 45 Grad | 281  |
| 112               |                                                                                     | 112210 | HTEA DN 50/ 40  | 45 Grad | 317  |
| 113               |                                                                                     | 112200 | HTEA DN 50/ 50  | 45 Grad | 331  |
| 114               |                                                                                     | 113210 | HTEA DN 75/ 50  | 45 Grad | 374  |
| 115               |                                                                                     | 113200 | HTEA DN 75/ 75  | 45 Grad | 406  |
| 116               |                                                                                     | 114220 | HTEA DN 90/ 50  | 45 Grad | 406  |
| 117               |                                                                                     | 114210 | HTEA DN 90/ 75  | 45 Grad | 439  |
| 118               |                                                                                     | 114200 | HTEA DN 90/ 90  | 45 Grad | 454  |
| 119               |                                                                                     | 115220 | HTEA DN 110/ 50 | 45 Grad | 481  |
| 120               |                                                                                     | 115210 | HTEA DN 110/ 75 | 45 Grad | 488  |
| 121               |                                                                                     | 115200 | HTEA DN 110/110 | 45 Grad | 547  |
| 122               |                                                                                     | 116210 | HTEA DN 125/110 | 45 Grad | 1705 |
| 123               |                                                                                     | 116200 | HTEA DN 125/125 | 45 Grad | 6133 |
| 124               |                                                                                     | 117210 | HTEA DN 160/110 | 45 Grad | 5052 |
| 125               |                                                                                     | 117200 | HTEA DN 160/160 | 45 Grad | 8653 |
| HTEA - Branch 67° |                                                                                     |        |                 |         |      |
| 126               |  | 110300 | HTEA DN 32/ 32  | 67 Grad | 275  |
| 127               |                                                                                     | 111300 | HTEA DN 40/ 40  | 67 Grad | 281  |

|                      |                                                                                     |              |                 |                 |         |
|----------------------|-------------------------------------------------------------------------------------|--------------|-----------------|-----------------|---------|
| 128                  |     | 112310       | HTEA DN 50/ 40  | 67 Grad         | 317     |
| 129                  |                                                                                     | 112300       | HTEA DN 50/ 50  | 67 Grad         | 331     |
| 130                  |                                                                                     | 113310       | HTEA DN 75/ 50  | 67 Grad         | 374     |
| 131                  |                                                                                     | 113300       | HTEA DN 75/ 75  | 67 Grad         | 406     |
| 132                  |                                                                                     | 115320       | HTEA DN 110/ 50 | 67 Grad         | 439     |
| 133                  |                                                                                     | 115310       | HTEA DN 110/ 75 | 67 Grad         | 488     |
| 134                  |                                                                                     | Branch 67°   | 115300          | HTEA DN 110/110 | 67 Grad |
| HTEA - Branch 87.5°  |                                                                                     |              |                 |                 |         |
| 135                  |    | 110400       | HTEA DN 32/ 32  | 87 Grad         | 275     |
| 136                  |                                                                                     | 111400       | HTEA DN 40/ 40  | 87 Grad         | 281     |
| 137                  |                                                                                     | 112410       | HTEA DN 50/ 40  | 87 Grad         | 317     |
| 138                  |                                                                                     | 112400       | HTEA DN 50/ 50  | 87 Grad         | 331     |
| 139                  |                                                                                     | 113410       | HTEA DN 75/ 50  | 87 Grad         | 374     |
| 140                  |                                                                                     | 113400       | HTEA DN 75/ 75  | 87 Grad         | 406     |
| 141                  |                                                                                     | 114420       | HTEA DN 90/ 50  | 87 Grad         | 406     |
| 142                  |                                                                                     | 114410       | HTEA DN 90/ 75  | 87 Grad         | 439     |
| 143                  |                                                                                     | 114400       | HTEA DN 90/ 90  | 87 Grad         | 547     |
| 144                  |                                                                                     | 115420       | HTEA DN 110/ 50 | 87 Grad         | 439     |
| 145                  |                                                                                     | 115410       | HTEA DN 110/ 75 | 87 Grad         | 488     |
| 146                  |                                                                                     | 115400       | HTEA DN 110/110 | 87 Grad         | 547     |
| 147                  |                                                                                     | 116410       | HTEA DN 125/110 | 87 Grad         | 1705    |
| 148                  |                                                                                     | 116400       | HTEA DN 125/125 | 87 Grad         | 6133    |
| 149                  |                                                                                     | 117410       | HTEA DN 160/110 | 87 Grad         | 5052    |
| 150                  |                                                                                     | Branch 87.5° | 117400          | HTEA DN 160/160 | 87 Grad |
| HTAM - Single socket |                                                                                     |              |                 |                 |         |
| 151                  |  | 112810       | HTAM DN 50      |                 | 420     |
| 152                  |                                                                                     | 113810       | HTAM DN 75      |                 | 596     |
| 153                  |                                                                                     | 115810       | HTAM DN 110     |                 | 868     |
| HTL - Long socket    |                                                                                     |              |                 |                 |         |
| 154                  |  | 111800       | HTL DN 40       |                 | 374     |
| 155                  |                                                                                     | 112800       | HTL DN 50       |                 | 389     |
| 156                  |                                                                                     | 113800       | HTL DN 75       |                 | 454     |
| 157                  |                                                                                     | 114800       | HTL DN 90       |                 | 520     |
| 158                  |                                                                                     | 115800       | HTL DN 110      |                 | 607     |
| HTU - Coupler        |                                                                                     |              |                 |                 |         |
| 159                  |  | 110500       | HTU DN 32       |                 | 224     |
| 160                  |                                                                                     | 111500       | HTU DN 40       |                 | 250     |
| 161                  |                                                                                     | 112500       | HTU DN 50       |                 | 267     |
| 162                  |                                                                                     | 113500       | HTU DN 75       |                 | 306     |
| 163                  |                                                                                     | 114500       | HTU DN 90       |                 | 343     |
| 164                  |                                                                                     | 115500       | HTU DN 110      |                 | 378     |
| 165                  |                                                                                     | 116500       | HTU DN 125      |                 | 1260    |
| 166                  |                                                                                     | 117500       | HTU DN 160      |                 | 1875    |
| HTMM - Double socket |                                                                                     |              |                 |                 |         |
| 167                  |  | 110510       | HTMM DN 32      |                 | 224     |
| 168                  |                                                                                     | 111510       | HTMM DN 40      |                 | 250     |
| 169                  |                                                                                     | 112510       | HTMM DN 50      |                 | 267     |
| 170                  |                                                                                     | 113510       | HTMM DN 75      |                 | 306     |
| 171                  |                                                                                     | 114510       | HTMM DN 90      |                 | 317     |
| 172                  |                                                                                     | 115510       | HTMM DN 110     |                 | 378     |

|                                            |                                                                                     |        |                                 |      |
|--------------------------------------------|-------------------------------------------------------------------------------------|--------|---------------------------------|------|
| 173                                        |                                                                                     | 116510 | HTMM DN 125                     | 1260 |
| 174                                        |                                                                                     | 117510 | HTMM DN 160                     | 1875 |
| HTDA - Double branch                       |                                                                                     |        |                                 |      |
| 175                                        |    | 112900 | HTDA DN 50/ 50/ 50 67 Grad      | 959  |
| 176                                        |                                                                                     | 113900 | HTDA DN 75/ 75/ 75 67 Grad      | 1149 |
| 177                                        |                                                                                     | 114900 | HTDA DN 90/ 90/ 90 87 Grad      | 1149 |
| 178                                        |                                                                                     | 115910 | HTDA DN 110/ 50/ 50 67 Grad     | 1149 |
| 179                                        |                                                                                     | 115900 | HTDA DN 110/110/110 67 Grad     | 1241 |
| HTED - Double corner branch                |                                                                                     |        |                                 |      |
| 180                                        |    | 115920 | HTED DN 110/110/110 67 Grad     | 2569 |
| 181                                        |                                                                                     |        |                                 |      |
| 182                                        |                                                                                     |        |                                 |      |
| 183                                        |                                                                                     |        |                                 |      |
| 184                                        |                                                                                     |        |                                 |      |
| 185                                        |                                                                                     |        |                                 |      |
| 186                                        |                                                                                     |        |                                 |      |
| 187                                        |                                                                                     |        |                                 |      |
| HTRE - Inspection pipe                     |                                                                                     |        |                                 |      |
| 188                                        |    | 112600 | HTRE DN 50                      | 661  |
| 189                                        |                                                                                     | 113600 | HTRE DN 75                      | 680  |
| 190                                        |                                                                                     | 114600 | HTRE DN 90                      | 784  |
| 191                                        |                                                                                     | 115600 | HTRE DN 110                     | 819  |
| 192                                        |                                                                                     | 116600 | HTRE DN 125                     | 2238 |
| 193                                        |                                                                                     | 117600 | HTRE DN 160                     | 3514 |
| HT - Replacement cover for inspection pipe |                                                                                     |        |                                 |      |
| 194                                        |                                                                                     | 812600 | Ersatzdeckel für HTRE DN 50     | 628  |
| 195                                        |                                                                                     | 813600 | Ersatzdeckel für HTRE DN 75     | 628  |
| 196                                        |                                                                                     | 814600 | Ersatzdeckel für HTRE DN 90     | 746  |
| 197                                        |                                                                                     | 815600 | Ersatzdeckel für HTRE DN 110    | 746  |
| HTR - Reducer, eccentric                   |                                                                                     |        |                                 |      |
| 198                                        |  | 112720 | HTR DN 50/ 32                   | 240  |
| 199                                        |                                                                                     | 112710 | HTR DN 50/ 40                   | 248  |
| 200                                        |                                                                                     | 113710 | HTR DN 75/ 50                   | 175  |
| 201                                        |                                                                                     | 114720 | HTR DN 90/ 50                   | 199  |
| 202                                        |                                                                                     | 114710 | HTR DN 90/ 75                   | 240  |
| 203                                        |                                                                                     | 115720 | HTR DN 110/ 50                  | 219  |
| 204                                        |                                                                                     | 115710 | HTR DN 110/ 75                  | 251  |
| 205                                        |                                                                                     | 115700 | HTR DN 110/ 90                  | 265  |
| 206                                        |                                                                                     | 116710 | HTR DN 125/110                  | 488  |
| 207                                        |                                                                                     | 117710 | HTR DN 160/110                  | 1290 |
| 208                                        |                                                                                     | 117710 | HTR DN 160/125                  | 1323 |
| 209                                        |                                                                                     | 111710 | HTR DN 40/ 32                   | 190  |
| HTR - Reducer short                        |                                                                                     |        |                                 |      |
| 210                                        |  | 112715 | HTR DN 50/40 kurze Ausführung   | 141  |
| 211                                        |                                                                                     | 113715 | HTR DN 75/ 50 kurze Ausführung  | 175  |
| 212                                        |                                                                                     | 115725 | HTR DN 110/ 50 kurze Ausführung | 219  |
| 213                                        |                                                                                     | 115715 | HTR DN 110/ 75 kurze Ausführung | 251  |
| 214                                        |                                                                                     | 115705 | HTR DN 110/ 90 kurze Ausführung | 261  |
| HT - Inner reducer                         |                                                                                     |        |                                 |      |
| 215                                        |                                                                                     | 115770 | HTPI DN 110/50                  | 1406 |

|                                           |                                                                                     |        |                        |      |
|-------------------------------------------|-------------------------------------------------------------------------------------|--------|------------------------|------|
| 216                                       |     | 115770 | HTRI DN 110/75         | 1400 |
| 217                                       |                                                                                     | 115760 | HTRI DN 110/75         | 1455 |
| 218                                       |                                                                                     |        |                        |      |
| HT - Plug - in socket DN 110/110          |                                                                                     |        |                        |      |
| 219                                       |    | 115750 | HTSM DN 110/110        | 1488 |
| 220                                       |                                                                                     |        |                        |      |
| 221                                       |                                                                                     |        |                        |      |
| 222                                       |                                                                                     |        |                        |      |
| 223                                       |                                                                                     |        |                        |      |
| 224                                       |                                                                                     |        |                        |      |
| HTM - Plug                                |                                                                                     |        |                        |      |
| 225                                       |    | 110620 | HTM DN 32              | 86   |
| 226                                       |                                                                                     | 111620 | HTM DN 40              | 91   |
| 227                                       |                                                                                     | 112620 | HTM DN 50              | 109  |
| 228                                       |                                                                                     | 113620 | HTM DN 75              | 141  |
| 229                                       |                                                                                     | 114620 | HTM DN 90              | 155  |
| 230                                       |                                                                                     | 115620 | HTM DN 110             | 155  |
| 231                                       |                                                                                     | 116620 | HTM DN 125             | 439  |
| 232                                       |                                                                                     | 117620 | HTM DN 160             | 804  |
| HTS - Connection piece to iron pipes      |                                                                                     |        |                        |      |
| 233                                       |    | 111900 | HTS DN 40/ 40          | 155  |
| 234                                       |                                                                                     | 112900 | HTS DN 50/ 40          | 155  |
| 235                                       |                                                                                     | 112920 | HTS DN 50/ 50          | 155  |
| HTSW - Siphon bend                        |                                                                                     |        |                        |      |
| 236                                       |   | 111910 | HTSW DN 40/ 30         | 124  |
| 237                                       |                                                                                     | 111920 | HTSW DN 40/ 40         | 124  |
| 238                                       |                                                                                     | 112940 | HTSW DN 50/ 40         | 155  |
| 239                                       |                                                                                     | 112950 | HTSW DN 50/ 50         | 155  |
| HTDSW - Double siphon bend 90°            |                                                                                     |        |                        |      |
| 240                                       |  | 112970 | HTDSW DN 40/ 50/ 40    | 389  |
| 241                                       |                                                                                     |        |                        |      |
| 242                                       |                                                                                     |        |                        |      |
| 243                                       |                                                                                     |        |                        |      |
| 244                                       |                                                                                     |        |                        |      |
| HTGM - Gasket                             |                                                                                     |        |                        |      |
| 245                                       |  | 881200 | HTGM DN 40/ 30 A       | 91   |
| 246                                       |                                                                                     | 881210 | HTGM DN 40/ 30 B       | 124  |
| 247                                       |                                                                                     | 881220 | HTGM DN 40/ 40 C       | 109  |
| 248                                       |                                                                                     | 881240 | HTGM DN 50/ 30 D       | 133  |
| 249                                       |                                                                                     | 881250 | HTGM DN 50/ 40 E       | 155  |
| 250                                       |                                                                                     | 881260 | HTGM DN 50/ 50 F       | 124  |
| 251                                       |                                                                                     | 19630  | HTGM DN 50 B           | 155  |
| HTUG - Connection piece to cast-iron pipe |                                                                                     |        |                        |      |
| 252                                       |  | 112820 | HTUG DN 50             | 251  |
| 253                                       |                                                                                     | 113820 | HTUG DN 75             | 283  |
| 254                                       |                                                                                     | 115820 | HTUG DN 110            | 420  |
| HT - GA set gasket                        |                                                                                     |        |                        |      |
| 255                                       |  | 881000 | GA-Set für HTUG DN 50  | 223  |
| 256                                       |                                                                                     | 881010 | GA-Set für HTUG DN 75  | 294  |
| 257                                       |                                                                                     | 881020 | GA-Set für HTUG DN 110 | 331  |

| HT - Lip seal                           |                                                                                    |        |                               |       |
|-----------------------------------------|------------------------------------------------------------------------------------|--------|-------------------------------|-------|
| 258                                     |   | 880000 | Lippendichtring DN 32         | 38    |
| 259                                     |                                                                                    | 880010 | Lippendichtring DN 40         | 41    |
| 260                                     |                                                                                    | 880020 | Lippendichtring DN 50         | 58    |
| 261                                     |                                                                                    | 880030 | Lippendichtring DN 75         | 58    |
| 262                                     |                                                                                    | 880040 | Lippendichtring DN 90         | 58    |
| 263                                     |                                                                                    | 880050 | Lippendichtring DN 110        | 58    |
| 264                                     |                                                                                    | 880070 | Lippendichtring DN 125        | 124   |
| 265                                     |                                                                                    | 880080 | Lippendichtring DN 160        | 155   |
| HT - NBR gasket (oil and fat resistant) |                                                                                    |        |                               |       |
| 266                                     |                                                                                    | 880210 | Ölbeständige NBR Dich. DN 40  | 199   |
| 267                                     |                                                                                    | 880220 | Ölbeständige NBR Dich. DN 50  | 219   |
| 268                                     |                                                                                    | 880230 | Ölbeständige NBR Dich. DN 75  | 251   |
| 269                                     |                                                                                    | 880240 | Ölbeständige NBR Dich. DN 90  | 298   |
| 270                                     |                                                                                    | 880250 | Ölbeständige NBR Dich. DN 110 | 331   |
| 271                                     |                                                                                    | 880270 | Ölbeständige NBR Dich. DN 125 | 496   |
| 272                                     |                                                                                    | 880280 | Ölbeständige NBR Dich. DN 160 | 582   |
| HT - Lubricant                          |                                                                                    |        |                               |       |
| 273                                     |   | 881800 | Gleitmittel 150 Gr (HT)       | 331   |
| 274                                     |                                                                                    | 881810 | Gleitmittel 250 Gr (HT)       | 420   |
| 275                                     |                                                                                    | 881820 | Gleitmittel 500 Gr (HT)       | 582   |
| HT - Pull-out protection                |                                                                                    |        |                               |       |
| 276                                     |  | 881500 | HT - Auszugsicherung DN 50    | 628   |
| 277                                     |                                                                                    | 881510 | HT - Auszugsicherung DN 75    | 746   |
| 278                                     |                                                                                    | 881520 | HT - Auszugsicherung DN 90    | 784   |
| 279                                     |                                                                                    | 881530 | HT - Auszugsicherung DN 110   | 845   |
| 280                                     |                                                                                    | 881540 | HT - Auszugsicherung DN 125   | 1058  |
| 281                                     |                                                                                    | 881550 | HT - Auszugsicherung DN 160   | 1572  |
| HT - Fire protektion sleeve             |                                                                                    |        |                               |       |
| 282                                     |                                                                                    | 19170  | AWM II DN 25-50 mm            | 5453  |
| 283                                     |                                                                                    | 19270  | AWM II DN 32-63 mm            | 5950  |
| 284                                     |                                                                                    | 19370  | AWM II DN 40-75 mm            | 6777  |
| 285                                     |                                                                                    | 19970  | AWM II DN 50-90 mm            | 7438  |
| 286                                     |                                                                                    | 19470  | AWM II DN 63-110 mm           | 8098  |
| 287                                     |                                                                                    | 19570  | AWM II DN 75-125 mm           | 8925  |
| 288                                     |                                                                                    | 19670  | AWM II DN 90-140 mm           | 11406 |
| 289                                     |                                                                                    | 19770  | AWM II DN 110-160 mm          | 13717 |
| HT-Floor Trap                           |                                                                                    |        |                               |       |
| 290                                     |                                                                                    | 119970 | FLOOR TRAP HT                 | 2025  |

### Terms And Conditions:-

- 1) Delivery: 6 Weeks from the date of confirmed P.O.
- 2) Billing will be done by our Authorised Channel Partner.
- 3) Payment: 100% Advance along with Purchase Order.
- 4) Pre & Post Technical assistance will be given by Ostendorf.
- 5) Complete Techno Commercial offer can be submitted at the time of actual requierment from our Authorised Channel Partners
- 6) The above prices are indicative in INR & for budgatory purpose only.